

Revision date: 2012/03/06 Page: 1/9
Version: 3.0 (59011639/SDS_CPA_US/EN)

1. Product and Company Identification

Company BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA 24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Substance number: 000000383799

Molecular formula: C15 H11 Br Cl F3 N2 O
Chemical family: pyrrole derivative
Synonyms: chlorfenapyr

2. Hazards Identification

Emergency overview

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

Avoid contact with the skin, eyes and clothing.

Avoid inhalation of mists/vapours. Wash thoroughly after handling.

See Product Label for additional precautionary statements.

State of matter: liquid Colour: amber, cloudy Odour: strong, of acetone

Potential health effects

Primary routes of exposure:

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

Acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Irritation / corrosion:

May cause slight irritation to the skin. May cause slight but temporary irritation to the eyes.

Sensitization:

There is no evidence of a skin-sensitizing potential.

Revision date: 2012/03/06 Page: 2/9 Version: 3.0 (59011639/SDS_CPA_US/EN)

Medical conditions aggravated by overexposure:

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

Potential environmental effects

Aquatic toxicity:

Very toxic (acute effect) to aquatic organisms.

Terrestrial toxicity:

Acutely very toxic to terrestrial organisms.

3. Composition / Information on Ingredients

CAS Number	Content (W/W)	<u>Chemical name</u>
122453-73-0	0.5 %	Chlorfenapyr
64742-47-8	< 10.0 %	Distillates (petroleum), hydrotreated light
67-64-1	< 15.0 %	Acetone
68476-40-4		Hydrocarbons, C3-4
811-97-2		HFC-134A
	>= 75.0 %	Proprietary ingredients

4. First-Aid Measures

General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

If inhaled:

Remove the affected individual into fresh air and keep the person calm.

If on skin:

Wash thoroughly with soap and water.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water if able to swallow.

Note to physician

Antidote: No known specific antidote. Treatment: Treat symptomatically.

5. Fire-Fighting Measures

Flash point: approx. -104 °C
Lower explosion limit: 1.9 %(V)
Upper explosion limit: 13.3 %(V)
Flammability of Aerosol
Products: no flashback
Flammability: Extremely

flammable.

(ASTM D 3065

Information applies to the propellant.

Information applies to the solvent.

Information applies to the solvent.

Revision date: 2012/03/06 Page: 3/9 Version: 3.0 (59011639/SDS_CPA_US/EN)

Suitable extinguishing media:

foam, dry powder, carbon dioxide, water spray

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, hydrogen fluoride, hydrogen bromide, halogenated hydrocarbons, Hydrocarbons,

If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released in case of fire.

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions:

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions:

Do not discharge into the subsoil/soil. Contain contaminated water/firefighting water.

Cleanup:

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Handling

General advice

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Storage

General advice:

Revision date: 2012/03/06 Page: 4/9 Version: 3.0 (59011639/SDS_CPA_US/EN)

Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

Storage incompatibility:

General advice: Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Temperature tolerance

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls and Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with workplace control parameters

Acetone OSHA PEL 1,000 ppm 2,400 mg/m3 ;

ACGIH TWA value 500 ppm ; STEL value 750 ppm ;

Distillates (petroleum),

hydrotreated light ACGIH TWA value 200 mg/m3 Non-aerosol (total

hydrocarbon vapor);

Application restricted to conditions in which there are

negligible aerosol exposures.

Skin Designation Non-aerosol (total hydrocarbon

vapor);

The substance can be absorbed through the skin.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves

Revision date: 2012/03/06 Page: 5/9
Version: 3.0 (59011639/SDS CPA US/EN)

must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: liquid

Odour: strong, of acetone Colour: amber, cloudy

pH value: approx. 7 - 9 (5 %(m), approx. 25 °C)

Melting point:

Boiling point:

approx. -12 °C
Vapour pressure:

The product has not been tested.

Information applies to the solvent.

(21 °C)
Information applies to the

solvent.

Density: approx. 0.8 g/cm3 (20 °C)

Vapour density: not determined

Viscosity, dynamic: 2.5 mPa.s (26 °C) Solubility in water: miscible

Other Information: If necessary, information on other physical and chemical parameters is

indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Substances to avoid:

strong oxidizing agents

Hazardous reactions:

The product is chemically stable.

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, hydrogen fluoride, hydrogen bromide, halogenated hydrocarbons, Hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Not an oxidizer.

Based on its structural properties the product is not classified as oxidizing.

11. Toxicological information

Acute toxicity

Oral:

Revision date: 2012/03/06 Page: 6/9 Version: 3.0 (59011639/SDS_CPA_US/EN)

Type of value: LD50 Species: rat (female) Value: > 5,000 mg/kg

Inhalation:

Type of value: LC50 Species: rat (male/female) Value: > 5.2 mg/l Exposure time: 4 h

Dermal:

Type of value: LD50 Species: rat (male/female) Value: > 5,000 mg/kg

Irritation / corrosion

Skin:

Species: rabbit Result: non-irritant

Eye:

Species: rabbit Result: non-irritant

Sensitization:Buehler test
Species: guinea pig

Result: Non-sensitizing.

Repeated dose toxicity

Information on: Acetone

Assessment of repeated dose toxicity:

The substance may cause damage to the testes after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the hematological system after repeated ingestion of high doses. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.

stadios.

Genetic toxicity

Information on: Chlorfenapyr

No mutagenic effect was found in various tests with microorganisms and mammals.

Carcinogenicity

Information on: Chlorfenapyr

In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Information on: Chlorfenapyr

The results of animal studies gave no indication of a fertility impairing effect.

Information on: Acetone

As shown in animal studies, the product may cause damage to the testes after repeated high exposures that

cause other toxic effects.

Development:

Revision date: 2012/03/06 Page: 7/9
Version: 3.0 (59011639/SDS_CPA_US/EN)

Information on: Chlorfenapyr

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Other Information:

Misuse can be harmful to health.

12. Ecological Information

Fish

Information on: Chlorfenapyr

Acute:

Oncorhynchus mykiss/LC50 (96 h): 0.007 mg/l

Aquatic invertebrates

Information on: Chlorfenapyr

Acute:

Daphnia magna/EC50 (48 h): 0.006 mg/l

Aquatic plants

Information on: Chlorfenapyr Toxicity to aquatic plants:

green algae/EC50 (72 h): 0.132 mg/l

Other adverse effects:

The ecological data given are those of the active ingredient. Do not release untreated into natural waters.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Consult state or local disposal authorities for approved alternative procedures such as container recycling. Do not reuse empty containers.

RCRA:

This product is not regulated by RCRA.

14. Transport Information

Land transport

USDOT

Hazard class: 2.2 ID number: UN 1950

Revision date: 2012/03/06 Page: 8/9 Version: 3.0 (59011639/SDS_CPA_US/EN)

Hazard label: 2.2, EHSM Proper shipping name: AEROSOLS

Sea transport

IMDG

Hazard class: 2.2
ID number: UN 1950
Hazard label: 2.2, EHSM
Marine pollutant: YES
Proper shipping name: AEROSOLS

Air transport

IATA/ICAO

Hazard class: 2.2 ID number: UN 1950 Hazard label: 2.2

Proper shipping name: AEROSOLS, NON-FLAMMABLE

Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2013, ORM-D will not apply.

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection TSCA, US released / exempt
Chemical TSCA, US blocked / not listed

OSHA hazard category: Chronic target organ effects reported; ACGIH TLV established; Flammable

Liquic

EPCRA 311/312 (Hazard categories): Acute; Chronic

CERCLA RQ
5000 LBSCAS Number
67-64-1Chemical name
Acetone

State regulations

CA Prop. 65:

There are no listed chemicals in this product.

16. Other Information

Refer to product label for EPA registration number.

NFPA Hazard codes:

Revision date: 2012/03/06 Page: 9/9 Version: 3.0 (59011639/SDS_CPA_US/EN)

Health: 1 Fire: 1 Reactivity: 1 Special:

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

MSDS Prepared by:

BASF NA Product Regulations

MSDS Prepared on: 2012/03/06

PHANTOM® PRESSURIZED INSECTICIDE is a registered trademark of BASF Corporation or BASF SE IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

END OF DATA SHEET